

Images in Clinical Hematology

Mushroom-shaped red blood cells (pincer cells): a brief update



Guilherme Dienstmann ^{a,*}, Vitor Barbosa dos Santos ^b,
Samuel Ricardo Comar ^c

^a Sociedade Educacional de Santa Catarina (UNISOCIESC), Joinville, SC, Brazil

^b Laboratório Coser, Nova Venécia, ES, Brazil

^c Universidade Federal do Paraná (UFPR) Curitiba, PR, Brazil

ARTICLE INFO

Article history:

Received 12 February 2021

Accepted 20 May 2021

Available online 9 July 2021

Red cells with cytoplasmic projections, resembling pincer-like cells, also known as mushroom-shaped red blood cells, as [Figures 1 and 2](#), are usually associated with erythrocyte disorders, such as congenital dyserythropoietic anemias, hereditary spherocytosis associated with Banda-3 protein deficiency, disseminated intravascular coagulation, hemolytic-uremic syndrome, thrombotic thrombocytopenic purpura, kidney disease, microangiopathic hemolytic anemia, erythroleukemia and, more rarely, oxidative drug-induced hemolysis. However, a recent study have demonstrated a relationship between these cells and infection caused by Sars-CoV-2 in a pathophysiologic mechanism that possibly involves the occurrence of oxidative stress, which triggers progressive cascade of inflammation, known as cytokines storm, that leads to red blood cell damage.^{1–3}




Figure 1 – Pincer cells in a patient with chronic kidney disease and diagnosed with COVID-19.

* Corresponding author at: Rua João Alexandre de França St., 349, CEP: 89225-140 Joinville, SC, Brazil.

E-mail address: guidbio@gmail.com (G. Dienstmann).

<https://doi.org/10.1016/j.htct.2021.05.009>

2531-1379/© 2021 Associação Brasileira de Hematologia, Hemoterapia e Terapia Celular. Published by Elsevier España, S.L.U. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).




Figure 2 – Pincer cells in a patient with chronic kidney disease and diagnosed with COVID-19.

Conflicts of interest

The authors declare no conflicts of interest.

REFERENCES

1. Gérard D, Ben Brahim S, Lesesve JF, Perrin J. Are mushroom-shaped erythrocytes an indicator of COVID-19? *Br J Haematol*. 2021(2):230.. <https://doi.org/10.1111/bjh.17127>. 192 Epub 2021 Jan 5. PMID: 33399215.
2. Lesesve JF. Mushroom-shaped red blood cells in protein band-3 deficiency. *Am J Hematol*. 2011;86(8):694.. <https://doi.org/10.1002/ajh.21962>. PMID: 21761435.
3. McCann SR, Firth R, Murray N, Temperley IJ. Congenital dyserythropoietic anaemia type II (HEMPAS): a family study. *J Clin Pathol*. 1980;33(12):1197–201. <https://doi.org/10.1136/jcp.33.12.1197>. PMID: 7451666; PMCID: PMC1146375.